



Aqua Seal Butterfly Valves
Effective from 01-04-2025
Document Ref : LTVL/BFV/APR2025



PN10 - Wafer Type - Cast Iron Body																			
CAT No	Liner	Disc	Operator	50	65	80	100	125	150	200	250	300	350	400	450	500	600	750	900
1IWEICB	EPDM	Cast Iron	Bare Shaft	3,433	3,606	4,084	5,628	6,904	8,392	13,415	19,883	25,717	x	x	x	x	x	x	x
1IWEICL	EPDM	Cast Iron	Lever	3,876	4,032	4,498	6,164	7,440	8,967	15,125	22,874	28,757	x	x	x	x	x	x	x
1IWEICG	EPDM	Cast Iron	Gear Unit	12,398	13,181	13,716	14,761	16,729	17,814	25,387	32,427	38,234	x	x	x	x	x	x	x
1IWNICB	Black Nitrile	Cast Iron	Bare Shaft	3,307	3,416	3,831	5,286	6,450	7,774	12,603	18,761	24,330	x	x	x	x	x	x	x
1IWNICL	Black Nitrile	Cast Iron	Lever	3,751	3,843	4,246	5,824	6,985	8,349	14,311	21,751	27,369	x	x	x	x	x	x	x
1IWNICG	Black Nitrile	Cast Iron	Gear Unit	12,271	12,992	13,463	14,420	16,275	17,195	19,527	24,994	30,538	x	x	x	x	x	x	x
1IWE6CB	EPDM	CF8M	Bare Shaft	3,888	4,220	5,003	7,119	9,519	12,259	23,018	35,138	50,558	x	x	x	x	x	x	x
1IWE6CL	EPDM	CF8M	Lever	4,346	4,648	5,433	7,657	9,978	12,834	25,301	37,655	53,440	x	x	x	x	x	x	x
1IWE6CG	EPDM	CF8M	Gear Unit	13,283	13,459	14,297	15,627	19,168	20,325	35,201	47,543	60,515	x	x	x	x	x	x	x
1IWN6CB	Black Nitrile	CF8M	Bare Shaft	3,762	4,031	4,751	6,779	9,065	11,641	22,205	34,014	49,170	x	x	x	x	x	x	x
1IWN6CL	Black Nitrile	CF8M	Lever	4,219	4,460	5,181	7,316	9,523	12,214	24,486	36,531	52,052	x	x	x	x	x	x	x
1IWN6CG	Black Nitrile	CF8M	Gear Unit	13,156	13,270	14,043	15,286	18,714	19,707	34,386	42,099	59,126	x	x	x	x	x	x	x
PN16 - Wafer Type - Cast Iron Body																			
CAT No	Liner	Disc	Operator	50	65	80	100	125	150	200	250	300	350	400	450	500	600	750	900
2IWEGBB	EPDM	SG Iron	Bare Shaft	3,981	4,732	5,373	6,734	8,766	9,751	19,088	24,589	34,847	61,486	88,652	1,28,413	1,58,890	2,12,614	x	x
2IWEGBL	EPDM	SG Iron	Lever	4,099	4,860	5,559	6,876	9,175	9,938	19,733	24,800	36,308	x	x	x	x	x	x	x
2IWEGBG	EPDM	SG Iron	Gear Unit	12,455	13,411	13,896	14,846	16,915	18,167	36,958	39,569	51,540	77,600	99,314	1,46,326	1,99,287	2,49,559	x	x
2IWNGBB	Black Nitrile	SG Iron	Bare Shaft	3,190	3,483	3,915	5,368	6,594	8,097	13,918	19,946	25,857	59,496	86,023	1,24,502	1,53,212	2,05,295	x	x
2IWNGBL	Black Nitrile	SG Iron	Lever	3,777	4,038	4,501	6,158	7,459	9,067	16,449	23,677	33,342	x	x	x	x	x	x	x
2IWNGBG	Black Nitrile	SG Iron	Gear Unit	12,329	13,095	13,770	14,695	16,460	17,548	22,264	27,089	33,749	69,300	96,686	1,42,412	1,93,610	2,42,241	x	x
2IWE4SB	EPDM	CF8	Bare Shaft	5,553	6,226	7,063	9,470	12,073	13,622	29,508	41,237	55,318	86,808	1,21,373	1,67,681	2,13,639	3,11,148	x	x
2IWE4SL	EPDM	CF8	Lever	6,372	7,544	8,811	11,714	14,153	16,207	33,083	44,346	60,108	x	x	x	x	x	x	x
2IWE4SG	EPDM	CF8	Gear Unit	14,046	13,932	14,875	16,800	19,767	22,002	51,060	62,852	78,701	96,526	1,32,312	1,85,590	2,37,440	3,49,059	x	x
2IWN4SB	Black Nitrile	CF8	Bare Shaft	5,428	6,037	6,810	9,128	11,619	13,003	28,694	40,115	53,931	84,817	1,18,745	1,63,771	2,07,961	3,03,831	x	x
2IWN4SL	Black Nitrile	CF8	Lever	6,246	7,355	8,559	11,373	13,700	15,588	32,267	43,223	54,992	x	x	x	x	x	x	x
2IWN4SG	Black Nitrile	CF8	Gear Unit	13,250	13,744	14,622	16,460	19,312	21,385	50,245	61,730	77,313	94,535	1,29,684	1,81,679	2,31,761	3,41,741	x	x
2IWE6SB	EPDM	CF8M	Bare Shaft	5,786	7,117	8,032	10,105	13,858	17,107	33,558	47,571	57,593	92,109	1,33,462	1,82,966	2,40,943	3,46,895	x	x
2IWE6SL	EPDM	CF8M	Lever	6,605	7,742	9,125	11,862	14,317	17,693	34,783	48,615	60,253	x	x	x	x	x	x	x
2IWE6SG	EPDM	CF8M	Gear Unit	14,167	14,272	15,026	17,187	20,924	22,530	51,880	63,793	79,613	1,03,038	1,43,300	2,01,059	2,59,321	3,84,803	x	x
2IWN6SB	Black Nitrile	CF8M	Bare Shaft	5,660	6,928	7,779	9,763	13,404	16,489	32,744	46,447	56,203	90,118	1,30,835	1,79,055	2,35,263	3,39,577	x	x
2IWN6SL	Black Nitrile	CF8M	Lever	6,478	7,553	8,746	11,522	13,820	17,075	33,211	46,987	57,603	x	x	x	x	x	x	x
2IWN6SG	Black Nitrile	CF8M	Gear Unit	13,281	13,846	14,698	16,595	20,469	21,911	50,435	62,165	78,292	1,01,046	1,40,673	1,97,146	2,53,644	3,77,485	x	x



Aqua Seal Butterfly Valves
Effective from 01-04-2025
Document Ref : LTVL/BFV/APR2025



PN16 - Wafer Lugged Type - Carbon Steel Body																			
CAT No	Liner	Disc	Operator	50	65	80	100	125	150	200	250	300	350	400	450	500	600	750	900
2CLEGSB	EPDM	SG Iron	Bare Shaft	7,542	8,904	13,285	16,762	18,400	22,067	39,650	54,400	73,298	1,03,574	1,41,379	1,86,643	2,43,743	3,20,495	x	x
2CLEGSL	EPDM	SG Iron	Lever	7,985	9,331	13,698	17,295	18,935	22,643	41,463	57,390	76,334	x	x	x	x	x	x	x
2CLEGSG	EPDM	SG Iron	Gear Unit	13,089	13,796	18,184	21,499	23,103	26,779	45,804	60,633	79,504	1,13,635	1,52,316	2,04,551	2,62,117	3,58,403	x	x
2CLNGSB	Black Nitrile	SG Iron	Bare Shaft	7,416	8,715	13,032	16,419	17,945	21,448	38,836	53,276	71,910	1,01,582	1,38,753	1,82,731	2,38,064	3,13,177	x	x
2CLNGSL	Black Nitrile	SG Iron	Lever	7,858	9,143	13,446	16,954	18,480	22,023	40,650	56,267	74,947	x	x	x	x	x	x	x
2CLNGSG	Black Nitrile	SG Iron	Gear Unit	12,653	13,608	17,933	21,158	22,649	26,160	44,988	59,509	78,116	1,11,644	1,49,688	2,00,639	2,56,439	3,51,084	x	x
2CLECSB	EPDM	Carbon Steel	Bare Shaft	7,885	9,334	13,832	17,568	19,514	23,998	43,195	59,101	80,753	1,07,025	1,46,525	1,93,110	2,53,118	3,35,302	x	x
2CLECSL	EPDM	Carbon Steel	Lever	8,326	9,762	14,249	18,104	20,052	24,574	45,011	62,086	83,790	x	x	x	x	x	x	x
2CLECSG	EPDM	Carbon Steel	Gear Unit	13,433	14,229	18,736	22,309	24,222	28,709	49,353	65,330	86,961	1,17,088	1,57,466	2,11,017	2,71,492	3,73,211	x	x
2CLNCSB	Black Nitrile	Carbon Steel	Bare Shaft	7,758	9,146	13,578	17,228	19,060	23,379	42,381	57,977	79,365	1,05,034	1,43,898	1,89,199	2,47,439	3,27,984	x	x
2CLNCSL	Black Nitrile	Carbon Steel	Lever	8,198	9,573	13,996	17,763	19,597	23,955	44,196	60,962	82,401	x	x	x	x	x	x	x
2CLNCSG	Black Nitrile	Carbon Steel	Gear Unit	12,674	14,039	18,484	21,969	23,767	28,090	48,539	64,208	85,572	1,15,095	1,54,838	2,07,105	2,65,813	3,65,893	x	x
2CLE4SB	EPDM	CF8	Bare Shaft	8,049	9,635	14,273	18,394	20,777	25,828	47,380	64,701	90,317	1,25,253	1,88,225	2,25,913	2,99,919	4,13,674	x	x
2CLE4SL	EPDM	CF8	Lever	8,492	10,064	14,689	18,929	21,312	26,405	49,194	67,688	93,354	x	x	x	x	x	x	x
2CLE4SG	EPDM	CF8	Gear Unit	15,616	15,791	19,179	23,135	25,480	30,537	54,800	70,931	96,523	1,48,206	2,00,204	2,43,820	3,18,296	4,51,588	x	x
2CLN4SB	Black Nitrile	CF8	Bare Shaft	7,924	9,446	14,020	18,053	20,322	25,211	46,566	63,578	88,928	1,34,999	1,85,346	2,22,002	2,94,242	4,06,356	x	x
2CLN4SL	Black Nitrile	CF8	Lever	8,366	9,874	14,436	18,589	20,858	25,786	48,381	66,564	91,965	x	x	x	x	x	x	x
2CLN4SG	Black Nitrile	CF8	Gear Unit	14,732	15,223	18,926	22,794	25,025	29,917	53,731	69,809	95,135	1,46,024	1,97,327	2,39,910	3,12,617	4,44,268	x	x
2CLE6SB	EPDM	CF8M	Bare Shaft	8,177	9,842	14,560	18,905	21,552	26,924	49,940	68,123	96,079	1,33,266	2,01,460	2,41,199	3,21,798	4,49,419	x	x
2CLE6SL	EPDM	CF8M	Lever	8,620	10,268	14,976	19,443	22,089	27,497	51,755	71,109	99,114	x	x	x	x	x	x	x
2CLE6SG	EPDM	CF8M	Gear Unit	16,123	16,375	19,461	23,645	26,256	31,635	56,856	74,987	1,02,282	1,43,332	2,13,442	2,59,105	3,40,176	4,87,331	x	x
2CLN6SB	Black Nitrile	CF8M	Bare Shaft	8,052	9,652	14,308	18,563	21,097	26,305	49,125	67,001	94,689	1,31,277	1,98,585	2,48,585	3,16,120	4,42,100	x	x
2CLN6SL	Black Nitrile	CF8M	Lever	8,495	10,079	14,721	19,104	21,636	26,878	50,940	69,986	97,725	x	x	x	x	x	x	x
2CLN6SG	Black Nitrile	CF8M	Gear Unit	15,239	15,428	19,208	23,304	25,802	31,015	56,545	73,613	1,00,894	1,54,801	2,10,564	2,67,346	3,34,498	4,80,011	x	x
Class 150 - SG Iron Body																			
CAT No	Liner	Disc	Operator	50	65	80	100	125	150	200	250	300	350	400	450	500	600	750	900
3GWEGSB	EPDM	SG Iron	Bare Shaft	4,480	4,945	5,844	7,639	9,539	10,800	20,632	27,185	38,036	73,433	99,593	x	x	x	x	x
3GWEGSL	EPDM	SG Iron	Lever	5,023	5,474	5,989	8,201	10,001	11,701	23,571	31,430	41,414	x	x	x	x	x	x	x
3GWEGSG	EPDM	SG Iron	Gear Unit	12,775	13,590	14,740	16,945	19,713	21,152	40,127	46,017	59,697	95,850	1,34,426	x	x	x	x	x
3GWNGB	Black Nitrile	SG Iron	Bare Shaft	4,353	4,755	5,211	7,298	8,630	10,181	18,115	26,063	36,647	71,441	96,965	x	x	x	x	x
3GWNGBL	Black Nitrile	SG Iron	Lever	4,896	5,284	5,736	7,862	9,546	11,082	22,759	30,308	40,025	x	x	x	x	x	x	x
3GWNGBG	Black Nitrile	SG Iron	Gear Unit	12,649	13,401	14,487	16,604	19,259	20,533	26,696	34,799	44,428	93,858	1,31,548	x	x	x	x	x
3GWE4SB	EPDM	CF8	Bare Shaft	6,095	6,828	7,845	10,381	13,234	15,522	32,374	45,250	61,710	95,589	1,33,701	x	x	x	x	x
3GWE4SL	EPDM	CF8	Lever	6,794	8,040	9,391	12,488	15,842	16,412	35,278	46,466	65,081	x	x	x	x	x	x	x
3GWE4SG	EPDM	CF8	Gear Unit	15,439	15,308	16,336	18,446	21,698	24,141	54,402	69,024	86,431	1,20,066	1,58,900	x	x	x	x	x
3GWN4SB	Black Nitrile	CF8	Bare Shaft	5,968	6,640	7,594	10,041	12,779	14,903	31,560	44,128	60,322	93,599	1,31,076	x	x	x	x	x
3GWN4SL	Black Nitrile	CF8	Lever	6,668	7,849	9,140	12,146	14,633	15,794	34,464	45,343	63,692	x	x	x	x	x	x	x
3GWN4SG	Black Nitrile	CF8	Gear Unit	14,574	15,118	16,084	18,106	21,244	23,525	53,589	67,901	85,043	1,18,073	1,56,273	x	x	x	x	x
3GWE6SB	EPDM	CF8M	Bare Shaft	6,354	7,814	8,809	11,080	15,201	18,757	36,834	52,212	71,761	1,04,431	1,46,106	x	x	x	x	x
3GWE6SL	EPDM	CF8M	Lever	7,707	9,034	10,398	13,085	17,054	19,845	37,073	53,064	75,134	x	x	x	x	x	x	x
3GWE6SG	EPDM	CF8M	Gear Unit	16,013	16,313	17,293	19,609	24,929	26,816	56,590	74,544	87,740	1,29,160	1,73,463	x	x	x	x	x
3GWN6SB	Black Nitrile	CF8M	Bare Shaft	6,227	7,622	8,556	10,739	14,748	18,139	36,021	51,088	70,370	1,02,438	1,43,476	x	x	x	x	x
3GWN6SL	Black Nitrile	CF8M	Lever	7,581	8,098	9,649	12,743	15,483	18,642	36,638	51,941	73,746	x	x	x	x	x	x	x
3GWN6SG	Black Nitrile	CF8M	Gear Unit	15,123	15,345	16,216	18,333	24,474	26,198	55,774	73,422	86,982	1,27,170	1,70,834	x	x	x	x	x



Aqua Seal Butterfly Valves
Effective from 01-04-2025
Document Ref : LTVL/BFV/APR2025



Class 150 - Carbon Steel Body																			
CAT No	Liner	Disc	Operator	50	65	80	100	125	150	200	250	300	350	400	450	500	600	750	900
3CFEGSB	EPDM	SG Iron	Bare Shaft	18,336	x	24,135	31,771	x	40,606	61,410	80,672	1,22,241	1,58,643	2,33,463	2,75,938	3,40,926	4,68,147	7,70,171	11,85,657
3CFEGSL	EPDM	SG Iron	Lever	18,779	x	24,579	33,043	x	41,062	62,777	82,041	1,23,135	x	x	x	x	x	x	x
3CFEGSG	EPDM	SG Iron	Gear Unit	29,449	x	36,160	43,989	x	52,009	72,812	92,075	1,33,642	1,83,657	2,58,476	3,11,464	3,76,452	5,03,674	8,65,923	12,81,405
3CFNGSB	Black Nitrile	SG Iron	Bare Shaft	18,209	x	23,884	31,431	x	39,989	60,596	79,548	1,20,853	1,56,653	2,30,835	2,72,025	3,35,247	4,60,829	7,61,187	11,74,740
3CFNGSL	Black Nitrile	SG Iron	Lever	18,653	x	24,328	32,703	x	40,444	61,964	80,918	1,21,748	x	x	x	x	x	x	x
3CFNGSG	Black Nitrile	SG Iron	Gear Unit	29,323	x	35,908	43,648	x	51,390	71,999	90,951	1,32,253	1,81,666	2,55,846	3,07,550	3,70,773	4,96,354	8,56,939	12,70,490
3CLEGSB	EPDM	SG Iron	Bare Shaft	x	10,881	13,788	16,212	21,514	x	42,142	55,049	75,250	1,06,043	1,44,485	1,94,793	2,53,801	3,46,802	x	x
3CLEGSL	EPDM	SG Iron	Lever	9,011	11,443	14,362	16,729	22,210	23,887	46,352	59,394	79,596	x	x	x	x	x	x	x
3CLEGSG	EPDM	SG Iron	Gear Unit	x	17,265	21,096	24,580	27,709	x	51,293	64,293	84,495	1,29,400	1,71,745	2,32,958	2,98,100	3,84,711	x	x
3CLNGSB	Black Nitrile	SG Iron	Bare Shaft	x	10,672	13,535	15,871	21,060	x	41,328	53,926	73,862	1,04,052	1,41,859	1,90,881	2,48,123	3,39,482	x	x
3CLNGSL	Black Nitrile	SG Iron	Lever	8,882	11,237	14,109	16,389	21,755	23,267	45,536	58,270	78,209	x	x	x	x	x	x	x
3CLNGSG	Black Nitrile	SG Iron	Gear Unit	x	17,076	20,845	24,240	27,254	x	50,477	63,171	83,106	1,27,220	1,68,868	2,28,674	2,91,881	3,77,393	x	x
3CWEGSB	EPDM	SG Iron	Bare Shaft	x	x	x	x	x	x	x	x	x	x	x	1,65,578	2,01,528	2,78,896	x	x
3CWEGSG	EPDM	SG Iron	Gear Unit	x	x	x	x	x	x	x	x	x	x	x	2,02,676	2,37,145	3,15,995	x	x
3CWNGSB	Black Nitrile	SG Iron	Bare Shaft	x	x	x	x	x	x	x	x	x	x	x	1,61,666	1,95,851	2,71,577	x	x
3CWNGSG	Black Nitrile	SG Iron	Gear Unit	x	x	x	x	x	x	x	x	x	x	x	1,98,763	2,31,468	3,08,676	x	x
3CFECB	EPDM	Carbon Steel	Bare Shaft	18,787	x	24,927	33,691	x	42,824	65,723	87,387	1,32,890	1,62,490	2,39,095	2,83,641	3,52,110	4,88,219	8,15,055	12,62,036
3CFECSL	EPDM	Carbon Steel	Lever	19,230	x	25,372	34,145	x	43,277	67,087	88,754	1,33,785	x	x	x	x	x	x	x
3CFECSG	EPDM	Carbon Steel	Gear Unit	29,899	x	36,973	45,092	x	54,225	77,123	98,790	1,44,291	1,87,502	2,64,108	3,19,167	3,87,636	5,23,745	9,10,806	13,57,785
3CFNCSB	Black Nitrile	Carbon Steel	Bare Shaft	18,661	x	24,677	33,351	x	42,206	64,908	86,263	1,31,501	1,60,499	2,36,468	2,79,730	3,46,432	4,80,899	8,06,071	12,51,120
3CFNCSL	Black Nitrile	Carbon Steel	Lever	19,104	x	25,120	33,805	x	42,660	66,273	87,629	1,32,397	x	x	x	x	x	x	x
3CFNCSG	Black Nitrile	Carbon Steel	Gear Unit	29,774	x	36,721	44,751	x	53,606	76,310	97,666	1,42,904	1,85,512	2,61,481	3,15,257	3,81,959	5,16,425	9,01,822	13,46,867
3CLECSB	EPDM	Carbon Steel	Bare Shaft	x	10,558	14,484	18,100	22,668	x	46,889	61,717	84,783	1,09,780	1,50,120	2,02,297	2,64,982	3,66,088	x	x
3CLECSL	EPDM	Carbon Steel	Lever	9,495	11,077	15,054	18,686	23,366	25,713	51,099	66,065	89,133	x	x	x	x	x	x	x
3CLECSG	EPDM	Carbon Steel	Gear Unit	x	18,252	22,283	24,923	27,977	x	56,039	70,962	94,030	1,31,256	1,76,391	2,41,180	3,10,342	4,03,998	x	x
3CLNCSB	Black Nitrile	Carbon Steel	Bare Shaft	x	11,357	14,232	17,382	22,214	x	46,076	60,596	83,394	1,07,789	1,47,492	1,98,384	2,59,302	3,58,768	x	x
3CLNCSL	Black Nitrile	Carbon Steel	Lever	9,369	11,922	14,802	17,967	22,913	25,095	50,285	64,943	87,745	x	x	x	x	x	x	x
3CLNCSG	Black Nitrile	Carbon Steel	Gear Unit	x	17,430	21,399	24,582	27,902	x	55,225	69,838	92,641	1,29,076	1,73,515	2,36,895	3,04,121	3,96,679	x	x
3CFE4SB	EPDM	CF8	Bare Shaft	18,999	x	25,597	34,826	x	45,176	70,749	96,042	1,47,468	1,83,231	2,67,543	3,24,132	4,10,474	6,00,261	10,18,781	16,12,677
3CFE4SL	EPDM	CF8	Lever	19,438	x	26,037	35,279	x	45,630	72,116	97,406	1,48,361	x	x	x	x	x	x	x
3CFE4SG	EPDM	CF8	Gear Unit	30,107	x	37,657	46,228	x	56,581	82,149	1,07,444	1,58,865	2,08,245	2,92,553	3,59,657	4,46,000	6,35,787	11,14,530	17,08,424
3CFN4SB	Black Nitrile	CF8	Bare Shaft	18,872	x	25,345	34,485	x	44,558	69,935	94,918	1,46,079	1,81,239	2,64,917	3,20,220	4,04,796	5,92,942	10,09,797	16,01,759
3CFN4SL	Black Nitrile	CF8	Lever	19,312	x	25,786	34,939	x	45,013	71,302	96,282	1,46,972	x	x	x	x	x	x	x
3CFN4SG	Black Nitrile	CF8	Gear Unit	29,981	x	37,405	45,885	x	55,961	81,336	1,06,320	1,57,478	2,06,252	2,89,924	3,55,747	4,40,322	6,28,467	11,05,549	16,97,507
3CLE4SB	EPDM	CF8	Bare Shaft	x	11,222	15,174	18,429	23,756	x	51,612	69,383	96,287	1,30,525	1,79,031	2,41,762	3,23,345	4,73,102	x	x
3CLE4SL	EPDM	CF8	Lever	9,970	11,716	16,109	20,123	24,659	28,129	55,822	73,729	1,00,635	x	x	x	x	x	x	x
3CLE4SG	EPDM	CF8	Gear Unit	x	18,980	22,693	26,084	29,692	x	65,659	80,426	1,09,345	1,55,820	2,10,453	2,84,400	3,74,265	5,11,016	x	x
3CLN4SB	Black Nitrile	CF8	Bare Shaft	x	11,035	14,921	18,089	23,301	x	50,799	68,260	94,898	1,28,533	1,76,405	2,37,849	3,47,919	4,65,783	x	x
3CLN4SL	Black Nitrile	CF8	Lever	9,844	11,525	15,857	19,782	24,204	27,510	55,006	72,606	99,248	x	x	x	x	x	x	x
3CLN4SG	Black Nitrile	CF8	Gear Unit	-	18,792	22,441	25,743	29,238	x	64,845	79,303	1,07,957	1,53,640	2,07,576	2,80,115	3,68,044	5,03,696	x	x



Aqua Seal Butterfly Valves
Effective from 01-04-2025
Document Ref : LTVL/BFV/APR2025



3CWE4SB	EPDM	CF8	Bare Shaft	x	x	x	x	x	x	x	x	x	x	x	2,10,077	2,74,603	3,92,871	x	x
3CWE4SG	EPDM	CF8	Gear Unit	x	x	x	x	x	x	x	x	x	x	x	2,47,174	3,10,222	4,30,830	x	x
3CWN4SB	Black Nitrile	CF8	Bare Shaft	x	x	x	x	x	x	x	x	x	x	x	2,06,166	2,68,925	3,85,551	x	x
3CWN4SG	Black Nitrile	CF8	Gear Unit	x	x	x	x	x	x	x	x	x	x	x	2,43,262	3,04,544	4,23,511	x	x
3CFE6SB	EPDM	CF8M	Bare Shaft	19,104	x	25,960	35,461	x	46,500	73,657	1,01,062	1,55,925	1,92,332	2,80,975	3,42,764	4,37,333	6,50,516	11,08,936	17,71,160
3CFE6SL	EPDM	CF8M	Lever	19,547	x	26,399	35,915	x	46,952	75,021	1,02,426	1,56,818	x	x	x	x	x	x	x
3CFE6SG	EPDM	CF8M	Gear Unit	30,217	x	38,028	46,859	x	57,899	85,058	1,12,465	1,67,323	2,17,344	3,05,985	3,78,286	4,72,857	6,86,039	12,04,686	18,66,912
3CFN6SB	Black Nitrile	CF8M	Bare Shaft	18,977	x	25,707	35,120	x	45,881	72,843	99,939	1,54,537	1,90,340	2,78,347	3,38,852	4,31,655	6,43,198	10,99,954	17,60,245
3CFN6SL	Black Nitrile	CF8M	Lever	19,421	x	26,144	35,574	x	46,334	74,207	1,01,303	1,55,429	x	x	x	x	x	x	x
3CFN6SG	Black Nitrile	CF8M	Gear Unit	30,091	x	37,776	46,518	x	57,281	84,244	1,11,342	1,65,935	2,15,352	3,03,359	3,74,374	4,67,179	6,78,722	11,95,704	18,55,995
3CLE6SB	EPDM	CF8M	Bare Shaft	x	11,491	15,509	18,717	24,780	x	54,419	73,947	1,03,102	1,39,621	1,91,996	3,10,391	4,04,469	5,66,626	x	x
3CLE6SL	EPDM	CF8M	Lever	10,884	12,561	16,258	20,721	25,568	29,155	58,629	78,292	1,07,453	x	x	x	x	x	x	x
3CLE6SG	EPDM	CF8M	Gear Unit	x	20,172	22,822	26,310	32,923	x	67,846	85,943	1,12,350	1,69,130	2,06,384	3,28,300	4,19,057	6,09,581	x	x
3CLN6SB	Black Nitrile	CF8M	Bare Shaft	x	11,300	15,255	18,377	24,328	x	53,606	72,822	1,01,715	1,37,629	1,89,368	3,06,481	3,98,789	5,64,354	x	x
3CLN6SL	Black Nitrile	CF8M	Lever	10,758	11,773	16,005	20,381	25,113	28,536	57,816	77,168	1,06,066	x	x	x	x	x	x	x
3CLN6SG	Black Nitrile	CF8M	Gear Unit	x	19,021	22,571	25,969	32,470	x	67,030	84,819	1,10,963	1,66,948	2,23,160	3,24,389	4,13,378	6,02,263	x	x
3CWE6SB	EPDM	CF8M	Bare Shaft	x	x	x	x	x	x	x	x	x	x	x	3,08,649	4,02,796	5,63,922	x	x
3CWE6SG	EPDM	CF8M	Gear Unit	x	x	x	x	x	x	x	x	x	x	x	3,20,042	4,14,851	5,75,603	x	x
3CWN6SB	Black Nitrile	CF8M	Bare Shaft	x	x	x	x	x	x	x	x	x	x	x	3,04,737	3,97,117	5,56,603	x	x
3CWN6SG	Black Nitrile	CF8M	Gear Unit	x	x	x	x	x	x	x	x	x	x	x	3,16,128	4,09,173	5,68,284	x	x



Aquaseal BFV Adders

*Standard discount not applicable



Adders															
CAT No	Liner	50	65	80	100	125	150	200	250	300	350	400	450	500	600
Locking Arrangement (Lever)	PN16	186	186	192	277	277	285	769	769	769	X	X	X	X	X
Locking Arrangement (Lever)	150	311	311	311	326	326	326	769	769	769	X	X	X	X	X
Locking Arrangement (Gear)	PN16	769	769	769	1,231	1,231	1,231	1,231	1,231	1,538	4,154	4,154	4,308	4,923	5,846
Locking Arrangement (Gear)	150	769	769	769	1,231	1,231	1,231	1,231	1,538	1,538	4,154	4,154	4,308	4,923	5,846
Locking Arrangement (Gear)	PN10	769	769	769	1,231	1,231	1,231	1,231	1,231	1,538	X	X	X	X	X
Extension Shaft (100mm)	PN10	1,273	1,283	1,289	1,304	1,331	1,331	1,449	2,824	2,837	X	X	X	X	X
Extension Shaft (100mm)	PN16	1,273	1,283	1,289	1,304	1,331	1,331	1,449	2,824	2,837	2,308	2,615	4,615	5,385	5,385
Extension Shaft (100mm)	150	1,389	1,408	1,412	1,434	1,440	1,486	1,596	3,085	3,112	2,308	2,615	4,615	5,385	5,385
Extended Spindle @ per meter		15,385	15,385	15,385	15,385	15,385	15,385	15,385	15,385	15,385	15,385	15,385	15,385	15,385	15,385
Carbon Steel from CI Body	PN16	981	1,182	1,425	1,888	2,106	2,508	4,375	2,977	4,124	4,375	5,282	8,610	8,776	11,714
Carbon Steel from SG Body	CL150	1,330	1,674	1,825	1,998	2,594	2,514	5,130	3,755	4,600	3,528	4,711	7,600	7,279	10,846
CF8 Body from CI Body	PN16	1,675	1,952	2,369	3,273	3,715	4,479	8,307	10,838	14,653	20,496	26,024	40,901	43,156	65,860
CF8 Body from SG Iron Body	CL150	2,381	2,918	3,187	3,787	4,918	4,855	10,060	13,519	17,537	22,534	31,719	49,372	50,357	78,059
CF8M Body from CI Body	PN16	2,046	2,346	2,869	4,060	4,651	5,656	10,395	14,165	19,127	27,766	35,361	55,251	58,443	90,215
CF8M Body from SG Body	CL150	2,956	3,592	3,925	4,778	6,229	6,175	12,934	17,958	23,430	31,144	43,964	68,122	69,681	1,08,480